

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	50	340/545.1.ccls. and (analog potentiometer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/01 15:36
L2	98	"40"/\$.ccls. and (safe security lock\$4 container) and (potentiometer analog)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/01 15:35
L3	109	((("4440006") or ("4342209") or ("4401286") or ("4434678") or ("4513180") or ("4574603") or ("4810026") or ("4875723") or ("4880254") or ("5581953") or ("5669105") or ("5927808") or ("5941602") or ("4332406") or ("5896763") or ("4281479") or ("4391463") or ("4412891") or ("4488378") or ("4551945") or ("4792188") or ("5004276") or ("5217335") or ("5287655") or ("5299659") or ("5351442") or ("5414960") or ("5765410") or ("5906071") or ("6502435") or ("4758536") or ("5765884") or ("4269446") or ("4548483") or ("5245846") or ("5845735") or ("5936522") or ("4325143") or ("4987792") or ("5396568") or ("4537049") or ("4805427") or ("4459834") or ("4478268") or ("4603563") or ("4911488") or ("4261602") or ("4320641") or ("4324419") or ("4325243")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/02/01 15:35
L4	4	I3 and (analog potentiometer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/01 15:36
S1	63	340/545.2,545.8,570.ccls. and (door near10 (sens\$4 or detect\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/26 17:25
S2	25	S1 and safe\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/13 10:42
S3	10	S1 and safe	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/13 10:42
S4	0	340/543,545.\$1,570.ccls. and (door near10 (sens\$4 or detect\$4)) and (safe cabinet container chamber storage box)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/13 14:29
S5	0	340/543,545.\$2,570.ccls. and (door near10 (sens\$4 or detect\$4)) and (safe cabinet container chamber storage box)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/13 11:48
S6	0	340/543,545.\$2,570.ccls. and (door near10 (sens\$4 or detect\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/13 11:49
S7	1780	((340/543) or (340/545.\$2) or (340/570)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/13 12:56

S8	244	S7 and (door near10 (sens\$4 or detect\$4)) and (safe cabinet container chamber storage box)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/13 13:06
S9	35	340/545.2,545.8,570.ccls. and (door near10 (sens\$4 or detect\$4)) and (safe cabinet container chamber storage box)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/13 12:49
S10	1	"20050174237".pn. and biasing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/13 12:50
S11	247	S7 and (door near10 (sens\$4 or detect\$4)) and (safe cabinet container chamber storage box vault)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/13 12:52
S12	34	S11 and (detector sensor) and (analog generator) and (driver shaft rotatable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/13 13:08
S13	19	S12 and (biasing spring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/13 12:55
S14	872	340/542	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/13 12:55
S15	624	340/542.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/13 12:55
S16	3517	((340/543) or (340/545.\$2) or (340/570) or (340/542) or (340/540)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/13 12:56
S17	410	S16 and ((door lock\$4) near8 condition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/13 13:11
S18	301	S16 and ((door lock\$4) near3 condition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/13 13:07
S19	22	S18 and (detector sensor) and (analog generator) and (driver shaft rotatable) and (biasing spring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/13 13:10
S20	11	S18 and (detector sensor) and (analog) and (driver shaft rotatable) and (biasing spring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/13 13:11

S21	725	S16 and (((door lock\$4) near3 condition) or ((door lock\$4) near3 (sens\$4 detect\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/13 13:11
S22	27	S21 and (detector sensor) and (analog) and (driver shaft rotatable) and (biasing spring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/13 13:21
S23	1	S21 and (detector sensor) and (analog near20 rotat\$4) and (driver shaft rotatable) and (biasing spring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/13 13:22
S24	64	(((door lock\$4) near3 condition) or ((door lock\$4) near3 (sens\$4 detect\$4))) and (detector sensor) and (analog near40 rotat\$4) and (driver shaft rotatable) and (biasing spring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/13 13:27
S25	5	S24 and "340"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/13 13:29
S26	264	(((door lock\$4) near3 condition) or ((door lock\$4) near3 (sens\$4 detect\$4))) and (detector sensor) and ((analog potentiometer) near40 (rotational rotat\$4)) and (driver shaft rotatable) and (biasing spring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/13 14:30
S27	13	S26 and "340"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/13 13:36
S28	3	S26 and S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/13 13:29
S29	6	((("4904984") or ("5617082") or ("6098433"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/26 17:33
S30	252	S16 and (lock\$4 near8 (safe cabinet container chamber storage box))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/13 14:29
S31	1	S30 and (detector sensor) and ((analog potentiometer) near40 (rotational rotat\$4)) and (driver shaft rotatable) and (biasing spring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/13 14:30
S32	38	("0018157" "1431571" "3799596" "3921541" "3990531" "4080810" "4147044" "4249469" "4470275" "4520736" "4552399" "4648255" "4679415" "4904984" "4926664" "5033282" "5246258" "5249831" "5339662" "5473922" "5592838" "5617082" "5632170" "5881589" "5887467" "5893283").PN. OR ("6098433").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/13 14:30
S33	23	("4205325" "4206491" "4670747" "4672375" "4688036" "4703359" "4746919" "4760393" "4839639" "4857914" "4942393" "5021776" "5043720" "5479151").PN. OR ("5617082").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/13 14:31

S34	42	("3702070" "3702551" "3981167" "4148092" "4532785" "4628715" "4745784" "4754629" "4756176" "4774512" "4831851").PN. OR ("4904984").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/13 14:32
S35	1	(S33 S32 S31 S29) and (analog near5 generat\$4)	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/13 14:33
S36	2	(S33 S32 S31 S29) and ((analog near5 generat\$4) or potentiometer)	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/13 14:35
S37	61	(S33 S32 S31 S29)	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/13 14:40
S38	8	(S33 S32 S31 S29) and (detector sensor) and (driver shaft rotatable) and (biasing spring)	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/13 14:41
S39	10	(S33 S32 S31 S29) and (detector sensor) and (driver shaft rotatable) and (biasing spring latch)	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/13 17:44
S40	2	("20040100383").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/14 11:04
S41	0	"6250255".pn. and (dragonfly damselfly mosquito insect bug)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/14 11:11
S42	2	"6250255".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/14 11:09
S43	48	("3317889" "3831548" "3872472" "4178578" "4284845" "4352292" "4392215" "4475102" "4562561" "4646276" "4656770" "4658386" "4761770" "4769794" "4884809" "4903630" "4933918" "4955005" "4965552" "4991145" "4998091" "4999818" "5047994" "5058335" "5061918" "5208787" "5214411" "5214619" "5270707" "5368044" "5450063" "5610876" "5774088" "5870972" "5969593" "6016100").PN. OR ("6250255").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/14 11:09
S44	10	S43 and (dragonfly damselfly mosquito insect bug)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/14 11:10
S45	4	S44 and (hz hertz)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/14 11:10
S46	6	S43 and (dragonfly damselfly mosquito insect bug pest rodent) and (hz hertz)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/14 11:33
S47	15	(wingbeat\$4 wing-beat\$4) and (hz hertz)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/14 11:33

S48	4	((("6098433") or ("5249831"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/26 17:21
S49	8	340/545.2,545.8,570.ccls. and (safe near30 lock\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/26 17:51
S50	458	"340"/\$.ccls. and (safe near30 lock\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/26 17:25
S51	108	S50 and (door near10 (sens\$4 or detect\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/26 17:53
S52	14	S51 and analog	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/26 17:28
S53	109	((("4440006") or ("4342209") or ("4401286") or ("4434678") or ("4513180") or ("4574603") or ("4810026") or ("4875723") or ("4880254") or ("5581953") or ("5669105") or ("5927808") or ("5941602") or ("4332406") or ("5896763") or ("4281479") or ("4391463") or ("4412891") or ("4488378") or ("4551945") or ("4792188") or ("5004276") or ("5217335") or ("5287655") or ("5299659") or ("5351442") or ("5414960") or ("5765410") or ("5906071") or ("6502435") or ("4758536") or ("5765884") or ("4269446") or ("4548483") or ("5245846") or ("5845735") or ("5936522") or ("4325143") or ("4987792") or ("5396568") or ("4537049") or ("4805427") or ("4459834") or ("4478268") or ("4603563") or ("4911488") or ("4261602") or ("4320641") or ("4324419") or ("4325243"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/26 17:42
S54	3	S53 and (analog near30 (sens\$4 detect\$4 monitor\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/26 17:36
S55	0	S53 and (analog near30 generator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/26 17:36
S56	44	(lee near3 benjamin).xa,xp. and door\$ and generator	USPAT	OR	ON	2006/01/26 17:42
S57	38	340/545.2,545.8,570545.6,686.1,686.3.ccls. and ((safe security) near30 lock\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/26 17:52
S58	68	340/545.2,545.8,570,545.6,686.1,686.3.ccls. and ((safe security) near30 lock\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/31 12:43
S59	35	S58 and (door near10 (sens\$4 or detect\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/26 17:53

S60	6259	"340"/\$.ccls. and potentiometer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/31 12:36
S61	2199	S60 and (security or safe or lock\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/31 12:35
S62	222	"340"/\$.ccls. and (potentiometer near20 (rotat\$4 rotatable driver axis)) and (security safe lock\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/31 12:43
S63	21	340/545.2,545.8,570,545.6,686.1,686.3.ccls. and (safe security lock\$4) and potentiometer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/01 15:29
S64	22	340/545.2,545.8,570,545.6,686.1,686.3.ccls. and (safe security lock\$4 cabinet) and potentiometer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/31 12:47
S65	22	340/545.2,545.8,570,545.6,686.1,686.3.ccls. and (safe security lock\$4 cabinet container) and potentiometer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/31 13:06
S66	0	"5083122".pn. and analog	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/31 12:55
S67	1	"5083122".pn. and signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/31 12:55
S68	191	340/545.2,545.8,570,545.6,686.1,686.3.ccls. and (safe security lock\$4 cabinet container) and (analog generator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/31 13:07
S69	105	340/545.2,545.8,570,545.6,686.1,686.3.ccls. and (safe security lock\$4 cabinet container) and (analog)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/31 13:31
S70	1	"20050174237".pn. and (alarm alert warn\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/31 13:26

S71	123	((("5083122") or ("5572190") or ("5774059") or ("6318137") or ("6784784") or ("5942974") or ("6891479") or ("4440006") or ("4342209") or ("4401286") or ("4434678") or ("4513180") or ("4574603") or ("4810026") or ("4875723") or ("4880254") or ("5581953") or ("5669105") or ("5927808") or ("5941602") or ("4332406") or ("5896763") or ("4281479") or ("4391463") or ("4412891") or ("4488378") or ("4551945") or ("4792188") or ("5004276") or ("5217335") or ("5287655") or ("5299659") or ("5351442") or ("5414960") or ("5765410") or ("5906071") or ("6502435") or ("4758536") or ("5765884") or ("4269446") or ("4548483") or ("5245846") or ("5845735") or ("5936522") or ("4325143") or ("4987792") or ("5396568") or ("4537049") or ("4805427") or ("4459834") or ("4478268") or ("4603563") or ("4911488") or ("4261602") or ("4320641") or ("4324419") or ("4325243"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/31 13:27
S72	1545	"I12" and (analog potentiometer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/31 13:28
S73	1545	S72 and (analog potentiometer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/31 13:28
S74	8	S71 and (analog potentiometer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/31 13:30
S75	235	340/545.2,545.8,570,545.6,686.1,686.3.ccls. and (analog potentiometer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/01 12:33
S76	67	340/545.2,545.8,570,545.6,686.1,686.3.ccls. and (potentiometer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/31 13:31
S77	3	("5050346" "5095654" "5878530").PN. OR ("6891479").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/31 13:33
S78	23	("3500326" "3639906" "3782148" "4250533" "4453161" "4712398" "4791280" "4864292" "4868559" "5117097" "5132661" "5176015" "5287098" "5337043" "5543665" "5552777" "5691711" "5870915" "6000609").PN. OR ("6318137").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/31 13:33
S79	11	("4643333" "4691195" "4891626" "5070319" "5194691" "5262588" "5774053" "5798485" "D278058").PN. OR ("5942974").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/31 13:34
S80	4	(S77 S78 S79) and potentiometer	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/31 13:35
S81	9	(S77 S78 S79) and analog	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/31 13:35
S82	12	(S77 S78 S79 S71) and generator	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/31 13:36